

Honeywell Research Chemicals ACS Grade Solvents


The American Chemical Society (ACS) Committee on Analytical Reagents sets the specifications for many chemicals used in analytical testing. These specifications have become the standard for chemicals used in many high-purity applications.

Recognized publications and organizations that also set specifications or describe analytical testing methods, such as the United States Pharmacopeia (USP) and the U.S. Environmental Protection Agency (EPA), recommends ACS grade reagents for their test procedures. The ACS sets requirements and develops validated methods to determine the purity of chemical reagents.

Honeywell Research Chemicals offers a comprehensive range of ACS grade solvents for your research needs. The ACS solvents meet or exceed the specifications set by the American Chemical Society. They are certified solvents with high purity and reliability because they are manufactured under stringent quality control. A Certificate of Analysis (CoA) and Safety Data Sheet (SDS) are available for each solvent.

Honeywell ACS solvents can be used for ACS applications, including the analysis for carbonyl compounds or for other analytical techniques within quality control, research and development requiring high purity and quality solvents.

The ACS solvents are available in various packing options, ranging from 25 mL to 204 L for small or large scale applications.



Good to Know

Committed to our customers and the world, Honeywell scientists recently developed a new GC-MS based test method for the analysis of carbonyl compounds in solvents and presented it to the ACS Committee on Analytical Reagents, who then adopted the test as the primary method in the 11th edition of the ACS Reagent Chemicals Guide. This new GS-MS method replaced the official ACS method polarography which involves the use of hazardous mercury.

To view an in-depth webinar on this topic, visit:
lab-honeywell.com/gcmswebinar

Product Number	Brand	Product Description	Volume
179124	Riedel-de Haen	Acetone ACS reagent, ≥99.5%	500 mL, 1 L, 2.5 L, 20 L
320110	Riedel-de Haen	Acetone ACS reagent, ≥99.5%	1 L
673781	Riedel-de Haen	Acetone ACS reagent, ≥99.5%	1 L, 4 L
AH010	Burdick & Jackson	Acetone ACS reagent, for HPLC, spectrophotometry, meets analytical specification of USP, >99.9%	4 L
LP010	Honeywell	Acetone ACS reagent, for organic synthesis, prep-LC, and general laboratory use, >99.5%	4 L, 19 L, 204 L
PP010	Burdick & Jackson	Acetone Purified Plus™, ACS reagent, for organic synthesis, for prep-LC, >99.9%	19 L, 204 L
32201	Riedel-de Haen	Acetone puriss. p.a., ACS reagent, reag. ISO, reag. Ph. Eur., ≥99.5% (GC)	1 L, 2.5 L, 25 L, 20 kg, 155kg
360457	Riedel-de Haen	Acetonitrile ACS reagent, ≥99.5%	500 mL, 1 L, 2.5 L, 10 L, 20 L
AH015	Honeywell	Acetonitrile ACS reagent, for HPLC, spectrophotometry, meets analytical specification of USP, >99.9%	4 L
015AH	Honeywell	Acetonitrile ACS reagent, for HPLC, spectrophotometry, meets analytical specification of USP, >99.9%	200 L
LP014	Honeywell	Acetonitrile ACS reagent, for organic synthesis, prep-LC, and general laboratory use, >99.5%	4 L, 19 L, 204 L
PP016	Burdick & Jackson	Acetonitrile Purified Plus™, ACS reagent, for organic synthesis, for prep-LC, >99.8%	19 L, 204 L
33019	Riedel-de Haen	Acetonitrile puriss. p.a., ACS reagent, reag. Ph. Eur., ≥99.5% (GC)	1 L, 2.5 L, 25 L, 155 kg
319953	Riedel-de Haen	Benzene ACS reagent, ≥99.0%	500 mL, 1 L, 2.5 L, 20 L
402834	Riedel-de Haen	Benzyl alcohol ACS reagent, ≥99.0%	100 mL, 500 mL, 1 L, 2.5 L
13160	Riedel-de Haen	Benzyl alcohol puriss. p.a., ACS reagent, ≥99.0% (GC)	25 mL, 500 mL, 2.5 L
360465	Riedel-de Haen	1-Butanol ACS reagent, ≥99.4%	500 mL, 1 L, 2.5 L
33065	Riedel-de Haen	1-Butanol puriss. p.a., ACS reagent, reag. ISO, reag. Ph. Eur., ≥99.5% (GC)	1 L, 2.5 L, 30 kg, 165 kg
360538	Riedel-de Haen	tert-Butanol ACS reagent, ≥99.0%	500 mL, 1 L, 2 L, 20 L
19460	Riedel-de Haen	tert-Butanol puriss. p.a., ACS reagent, ≥99.7% (GC)	500 mL, 1 L, 2.5 L, 5 L, 25 kg,
360473	Riedel-de Haen	2-Butanone ACS reagent, ≥99.0%	500 mL, 1 L, 2 L, 2.5 L, 20 L
676926	Riedel-de Haen	2-Butanone ACS reagent, ≥99.0%	1 L, 4 L
04380	Riedel-de Haen	2-Butanone puriss. p.a., ACS reagent, ≥99.5% (GC)	250 mL, 1L, 2.5 L
33407	Riedel-de Haen	2-Butanone puriss. p.a., ACS reagent, reag. Ph. Eur., ≥99.5% (GC)	250 mL, 1 L, 2.5 L, 30 kg
402842	Riedel-de Haen	Butyl acetate ACS reagent, ≥99.5%	500 mL, 1 L, 2.5 L
45860	Riedel-de Haen	Butyl acetate puriss. p.a., ACS reagent	500 mL, 1 L, 2.5 L
443808	Riedel-de Haen	tert-Butyl methyl ether ACS reagent, ≥99.0%	500 mL, 1 L, 2.5 L, 25 L
180173	Riedel-de Haen	Carbon disulfide ACS reagent, ≥99.9%	500 mL, 1 L
676918	Riedel-de Haen	Carbon disulfide ACS reagent, ≥99.9%	1 L, 4 L
31627	Riedel-de Haen	Carbon disulfide for IR spectroscopy, puriss. p.a., ACS reagent, reag. Ph. Eur., ≥99.9% (GC)	1 L
319996	Riedel-de Haen	Chlorobenzene ACS reagent, ≥99.5%	500 mL, 1 L, 2.5 L
23570	Riedel-de Haen	Chlorobenzene puriss. p.a., ACS reagent, ≥99.5% (GC)	250 mL, 1 L, 2.5 L, 55 kg, 220 kg
31029	Riedel-de Haen	Chloroform ACS reagent, for determinations with dithizone, 99.0-99.4%	1 L
AH049	Burdick & Jackson	Chloroform ACS reagent, for HPLC, spectrophotometry, meets analytical specification of USP, contains amylenes, >99.9%	4 L
LP049	Burdick & Jackson	Chloroform ACS reagent, for organic synthesis, prep-LC, and general laboratory use, contains amylenes, >99.8%	4 L, 19 L
366919	Riedel-de Haen	Chloroform ACS spectrophotometric grade, ≥99.8%, contains 0.5-1.0% ethanol as stabilizer	1 L, 2 L
472476	Riedel-de Haen	Chloroform contains amylenes as stabilizer, ACS reagent, ≥99.8%	500 mL, 1 L, 2.5 L
319988	Riedel-de Haen	Chloroform contains ethanol as stabilizer, ACS reagent, ≥99.8%	500 mL, 1 L, 2.5 L, 15 L, 20 L
PP049	Burdick & Jackson	Chloroform Purified Plus™, ACS reagent, for organic synthesis, for prep-LC, contains amylenes, >99.9%	19 L, 204 L
179191	Riedel-de Haen	Cyclohexane ACS reagent, ≥99%	500 mL, 1 L, 2.5 L, 20 L
676861	Riedel-de Haen	Cyclohexane ACS reagent, ≥99%	1 L, 4 L
LP053	Honeywell	Cyclohexane ACS reagent, for organic synthesis, prep-LC, and general laboratory use, >99.0%	204 L
33117	Riedel-de Haen	Cyclohexane puriss. p.a., ACS reagent, ≥99.5% (GC)	1 L, 2.5 L, 5 L, 30 kg
319929	Riedel-de Haen	1,2-Dichloroethane ACS reagent, ≥99.0%	500 mL, 1 L, 2.5 L
320269	Riedel-de Haen	Dichloromethane ACS reagent, ≥99.5%, contains 40-150 ppm amylenes as stabilizer	1 L
676853	Riedel-de Haen	Dichloromethane ACS reagent, ≥99.5%, contains 40-150 ppm amylenes as stabilizer	1 L, 4 L
AH300	Honeywell	Dichloromethane ACS reagent, for HPLC, spectrophotometry, meets analytical specification of USP, contains cyclohexene, >99.9%	4 L, 56 L

Product Number	Brand	Product Description	Volume
LP300	Honeywell	Dichloromethane ACS reagent, for organic synthesis, prep-LC, and general laboratory use, contains cyclohexene, ≥99.5%	4 L, 19 L
D65100	Riedel-de Haen	Dichloromethane contains 40–150 amylene as stabilizer, ACS reagent, ≥99.5%	1 L, 2.5 L, 10 L, 20 L
PP300	Burdick & Jackson	Dichloromethane Purified Plus™, ACS reagent, for organic synthesis, for prep-LC, contains cyclohexene, ≥99.9%	19 L, 204 L
32222	Riedel-de Haen	Dichloromethane puriss. p.a., ACS reagent, reag. ISO, ≥99.9% (GC)	1 L, 2.5 L, 10 L, 25 L, 35 kg, 250 kg
676845	Riedel-de Haen	Diethyl ether ACS reagent, ≥98.0%, contains ~2% ethanol and ~10 ppm BHT as inhibitor	1 L
346136	Riedel-de Haen	Diethyl ether ACS reagent, anhydrous, ≥99.0%, contains BHT as inhibitor	100 mL, 250 mL, 1 L
AH106	Honeywell	Diethyl ether ACS reagent, for HPLC, spectrophotometry, meets analytical specification of USP, contains 2% ethanol, ≥99.9% (excluding ethanol)	4 L
LP108	Honeywell	Diethyl ether ACS reagent, for organic synthesis, prep-LC, and general laboratory use, contains BHT, ≥98.5%	4 L, 19 L
673811	Riedel-de Haen	Diethyl ether anhydrous, ACS reagent, ≥99.0%, contains BHT as inhibitor	250 mL, 1 L, 4 L
32203	Riedel-de Haen	Diethyl ether contains BHT as inhibitor, puriss. p.a., ACS reagent, reag. ISO, reag. Ph. Eur., ≥99.8%	500 mL, 1 L, 2.5 L, 5 L, 27 L
PP108	Burdick & Jackson	Diethyl ether Purified Plus™, ACS reagent, for organic synthesis, for prep-LC, contains BHT, ≥99.9%	19 L, 204 L
398276	Riedel-de Haen	Diisopropyl ether contains either BHT or hydroquinone as stabilizer, ACS reagent, ≥99.0%	500 mL, 1 L
673803	Riedel-de Haen	Diisopropyl ether contains either BHT or hydroquinone as stabilizer, ACS reagent, ≥99.0%	1 L, 4 L
472301	Riedel-de Haen	Dimethyl sulfoxide ACS reagent, ≥99.9%	100 mL, 500 mL, 1 L, 2.5 L, 4 L
LP081	Honeywell	Dimethyl sulfoxide ACS reagent, for organic synthesis, prep-LC, and general laboratory use, ≥99.9%	4 L
41640	Riedel-de Haen	Dimethyl sulfoxide puriss. p.a., ACS reagent, ≥99.9% (GC)	100 mL, 500 mL, 1 L, 2.5 L, 25 L, 25 kg
319937	Riedel-de Haen	N,N-Dimethylformamide ACS reagent, ≥99.8%	500 mL, 1 L, 2.5 L, 20 L
LP076	Honeywell	N,N-Dimethylformamide ACS reagent, for organic synthesis, prep-LC, and general laboratory use, ≥99.8%	19 L
33120	Riedel-de Haen	N,N-Dimethylformamide puriss. p.a., ACS reagent, reag. Ph. Eur., ≥99.8% (GC)	1 L, 2.5 L, 25 L, 180 kg
360481	Riedel-de Haen	1,4-Dioxane ACS reagent, ≥99.0%	500 mL, 2.5 L, 10 L, 50 L
676934	Riedel-de Haen	1,4-Dioxane ACS reagent, ≥99.0%	1 L, 4 L
33147	Riedel-de Haen	1,4-Dioxane puriss. p.a., ACS reagent, reag. ISO, reag. Ph. Eur., ≥99.5% (GC)	1 L, 2.5 L, 210 kg
443816	Riedel-de Haen	1-Dodecanol ACS reagent, ≥98.0%	500 g, 1 kg
AH090	Honeywell	Ethanol ACS Reagent, for HPLC, Spectrophotometry, meets analytical specification of USP, anhydrous, SDA 3A, 90 ±1%	4 L
LP090	Honeywell	Ethanol ACS reagent, for organic synthesis, prep-LC, and general laboratory use, anhydrous, SDA 3A, 90 ±1%	4 L, 19 L
02850	Riedel-de Haen	Ethanol CHROMASOLV™ for UV-spectroscopy, ACS reagent, extra fine spirit, E15 o 1, ~96% (v/v)	1 L, 2.5 L
02860	Riedel-de Haen	Ethanol puriss. p.a., ACS reagent, absolute alcohol, without additive, A15 o 1, ≥99.8%	25 mL, 1 L, 2.5 L, 25 L
02870	Riedel-de Haen	Ethanol puriss. p.a., ACS reagent, prima fine spirit, without additive, F15 o 1, ~96%	1 L, 2.5 L
32294	Riedel-de Haen	Ethanol puriss. p.a., ACS reagent, reag. Ph. Eur., 96% (v/v)	1 L, 2.5 L, 5 L, 30 kg, 160 kg
459844	Riedel-de Haen	Ethanol, Pure 200 proof, ACS reagent, ≥99.5%	500 mL, 1 L, 2 L, 2.5 L, 25 L
319902	Riedel-de Haen	Ethyl acetate ACS reagent, ≥99.5%	1 L
319902	Riedel-de Haen	Ethyl acetate ACS reagent, ≥99.5%	500 mL, 1 L, 2.5 L, 4 L, 20 L
676810	Riedel-de Haen	Ethyl acetate ACS reagent, ≥99.5%	1 L, 4 L
AH100	Honeywell	Ethyl acetate ACS reagent, for HPLC, spectrophotometry, meets analytical specification of USP, ≥99.5%	4 L
LP100	Honeywell	Ethyl acetate ACS reagent, for organic synthesis, prep-LC, and general laboratory use, ≥99.5%	4 L, 19 L, 204 L
PP100	Burdick & Jackson	Ethyl acetate Purified Plus™, ACS reagent, for organic synthesis, prep-LC, and general laboratory use (for sales in Asia only)	19 L, 204 L
45760	Riedel-de Haen	Ethyl acetate puriss. p.a., ACS reagent, ≥99.5% (GC)	1 L, 2.5 L, 25 L
33211	Riedel-de Haen	Ethyl acetate puriss. p.a., ACS reagent, reag. ISO, reag. Ph. Eur., ≥99.5% (GC)	1 L, 2.5 L, 25 L, 35 kg, 180 kg
F1635	Honeywell	Formaldehyde solution contains 10–15% methanol as stabilizer, 37 wt. % in H ₂ O	25 mL, 500 mL, 4 L
252549H	Riedel-de Haen	Formaldehyde solution, ACS reagent, 37 wt. % in H ₂ O, contains 10–15% methanol as stabilizer	500 mL, 1 L, 2.5 L
47670	Riedel-de Haen	Formamide puriss. p.a., ACS reagent, ≥99.5% (GC/T)	25 mL, 250 mL, 1 L, 2.5 L
G7893	Riedel-de Haen	Glycerol ACS reagent, ≥99.5%	500 mL, 1 L, 2 L, 4 L, 18 L
LP380	Honeywell	Glycerol ACS Reagent, for organic synthesis, prep-LC, and general laboratory use, ≥99.0%	4 L
49770	Riedel-de Haen	Glycerol puriss. p.a., ACS reagent, anhydrous, dist., ≥99.5% (GC)	250 mL, 1 L, 2.5 L

Product Number	Brand	Product Description	Volume
AH212	Honeywell	Hexane ACS reagent, for HPLC, Spectrophotometry, meets analytical specification of USP, >99.9% (>60% n-Hexane)	4 L, 56 L
LP211	Honeywell	Hexane ACS reagent, for organic synthesis, prep-LC, and general laboratory use, >99.9% (>60% n-Hexane)	4 L, 19 L, 204 L
PP211	Burdick & Jackson	Hexane Purified Plus™, ACS reagent, for organic synthesis, for prep-LC, >99.9% (>60% n-Hexane)	19 L, 204 L
32293	Riedel-de Haen	Hexane puriss. p.a., ACS reagent, reag. Ph. Eur., ≥99% (GC)	1 L, 2.5 L, 25 L
178918	Riedel-de Haen	Hexane, mixture of isomers ACS reagent, ≥98.5%	500 mL, 1 L, 2 L, 4 L, 20 L
320315	Riedel-de Haen	Hexane, mixture of isomers ACS reagent, ≥98.5%	1 L
156175	Riedel-de Haen	Hexane, mixture of isomers ACS spectrophotometric grade, ≥98.5%	1 L
179337	Riedel-de Haen	Methanol ACS reagent, ≥99.8%	500 mL, 1 L, 2.5 L, 4 L, 20 L
320390	Riedel-de Haen	Methanol ACS reagent, ≥99.8%	1 L
676780	Riedel-de Haen	Methanol ACS reagent, ≥99.8%	1 L, 4 L
AH230	Burdick & Jackson	Methanol ACS reagent, for HPLC, spectrophotometry, meets analytical specification of USP, >99.9%	4 L
230AA	Honeywell	Methanol ACS reagent, for HPLC, spectrophotometry, meets analytical specification of USP, >99.9%	200 L
LP230	Honeywell	Methanol ACS reagent, for organic synthesis, prep-LC, and general laboratory use, >99.8%	4 L, 19 L, 204 L
154903	Riedel-de Haen	Methanol ACS spectrophotometric grade, ≥99.9%	500 mL, 1 L, 2 L
PP230	Burdick & Jackson	Methanol Purified Plus™, ACS reagent, for organic synthesis, for prep-LC, >99.9%	19 L, 204 L
32213	Riedel-de Haen	Methanol puriss. p.a., ACS reagent, reag. ISO, reag. Ph. Eur., ≥99.8% (GC)	1 L, 2.5 L, 5 L, 25 L, 20 kg, 45 kg, 150 kg
360503	Riedel-de Haen	2-Methoxyethanol contains 50 ppm BHT as stabilizer, ACS reagent, ≥99.3%	20 L
33457	Riedel-de Haen	2-Methoxyethanol puriss. p.a., ACS reagent, reag. Ph. Eur., ≥99.5% (GC)	1 L, 2.5 L
320021	Riedel-de Haen	3-Methyl-1-butanol ACS reagent, ≥98.5%	500 mL, 1 L
320048	Riedel-de Haen	2-Methyl-1-propanol ACS reagent, ≥99.0%	500 mL, 1 L, 2.5 L
33064	Riedel-de Haen	2-Methyl-1-propanol puriss. p.a., ACS reagent, reag. Ph. Eur., ≥99% (GC)	1 L, 2.5 L
360511	Riedel-de Haen	4-Methyl-2-pentanone ACS reagent, ≥98.5%	500 mL, 1 L, 2.5 L, 20 L
33463	Riedel-de Haen	4-Methyl-2-pentanone puriss. p.a., ACS reagent, reag. Ph. Eur., for extraction analysis, ≥99%	1 L, 2.5 L, 25 L, 45 L, 20 kg
443778	Riedel-de Haen	1-Methyl-2-pyrrolidinone ACS reagent, ≥99.0%	500 mL, 1 L, 2.5 L
59090	Riedel-de Haen	3-Methylbutanol puriss. p.a., ACS reagent, ≥98.5% (GC)	250 mL, 1 L, 2.5 L, 200 L
252379	Riedel-de Haen	Nitrobenzene ACS reagent, ≥99.0%	100 mL, 1 L
472328	Riedel-de Haen	1-Octanol ACS reagent, ≥99%	100 mL, 1 L, 2 L, 2.5 L, 4 L
360562	Riedel-de Haen	1-Octanol ACS spectrophotometric grade, ≥99%	1 L, 2 L
184519	Riedel-de Haen	Petroleum ether ACS reagent	500 mL, 1 L, 2.5 L, 20 L
320447	Riedel-de Haen	Petroleum ether ACS reagent	1 L
673838	Riedel-de Haen	Petroleum ether ACS reagent	1 L
LP317	Honeywell	Petroleum ether ACS reagent, for organic synthesis, prep-LC, and general laboratory use, >99.0% (C5 & C6 Isomers)	4 L, 19 L
PP317	Burdick & Jackson	Petroleum ether Purified Plus™, ACS reagent, for organic synthesis, for prep-LC, >99.0% (C5 & C6 Isomers)	19 L, 204 L
32299	Riedel-de Haen	Petroleum ether puriss. p.a., ACS reagent, reag. ISO, low boiling point hydrogen treated naphtha, bp≥ 90% 40-60 oC (≥ 90%)	1 L, 2.5 L, 5 L, 25 L, 195 L
402893	Riedel-de Haen	1-Propanol ACS reagent, ≥99.5%	500 mL, 1 L, 2.5 L, 5 L
190764	Riedel-de Haen	2-Propanol ACS reagent, ≥99.5%	500 mL, 1 L, 2.5 L, 20 L
673773	Riedel-de Haen	2-Propanol ACS reagent, ≥99.5%	1 L, 4 L
AH323	Honeywell	2-Propanol ACS reagent, for HPLC, spectrophotometry, meets analytical specification of USP, >99.9%	4 L
LP323	Honeywell	2-Propanol ACS reagent, for organic synthesis, prep-LC, and general laboratory use, >99.5%	1 L, 4 L, 19 L, 204 L, 5 gal
PP230	Burdick & Jackson	2-Propanol Purified Plus™, ACS reagent, for organic synthesis, for prep-LC, >99.9%	19 L, 204 L
PP322	Burdick & Jackson	1-Propanol Purified Plus™, ACS reagent, for organic synthesis, prep-LC, and general laboratory use (for sales in Asia only)	19 L, 204 L
72299	Riedel-de Haen	2-Propanol puriss. p.a., ACS reagent	1 L, 2.5 L
59300	Riedel-de Haen	2-Propanol puriss. p.a., ACS reagent, ≥99.8% (GC)	25 mL, 1 L, 2.5 L, 25 L, 155 kg
33539	Riedel-de Haen	2-Propanol puriss. p.a., ACS reagent, reag. ISO, reag. Ph. Eur., ≥99.8% (GC)	1 L, 2.5 L, 5 L, 10 L, 25 L, 155 kg
360570	Riedel-de Haen	Pyridine ACS reagent, ≥99.0%	100 mL, 500 mL, 1L, 2.5 L
676772	Riedel-de Haen	Pyridine ACS reagent, ≥99.0%	1 L, 4 L

Product Number	Brand	Product Description	Volume
AH332	Burdick & Jackson	Pyridine ACS reagent, for HPLC, spectrophotometry, meets analytical specification of USP, >99.8%	4 L
33501	Riedel-de Haen	Pyridine puriss. p.a. ACS	200 kg
82702	Riedel-de Haen	Pyridine puriss. p.a., ACS reagent, ≥99.8% (GC)	200 L
33553	Riedel-de Haen	Pyridine puriss. p.a., ACS reagent, reag. Ph. Eur., ≥99.5% (GC)	500 mL, 1 L
443786	Riedel-de Haen	Tetrachloroethylene ACS reagent, ≥99.0%	1 L, 2.5 L
676764	Riedel-de Haen	Tetrahydrofuran ACS reagent, ≥99.0%, contains 250 ppm BHT as inhibitor	1 L, 4 L
AH340	Honeywell	Tetrahydrofuran ACS reagent, for HPLC, spectrophotometry, meets analytical specification of USP, contains no preservative, >99.8%	4 L
LP341	Honeywell	Tetrahydrofuran ACS reagent, for organic synthesis, prep-LC, and general laboratory use, contains BHT, >99.0%	4 L, 19 L
360589	Riedel-de Haen	Tetrahydrofuran contains 250 ppm BHT as inhibitor, ACS reagent, ≥99.0%	500 mL, 1 L, 2.5 L, 10 L, 20 L
87368	Riedel-de Haen	Tetrahydrofuran contains 250 ppm BHT as inhibitor, puriss. p.a., ACS reagent, reag. Ph. Eur., ≥99.9%	1 L, 2.5 L, 5 L, 25 L, 200 L, 175 kg
PP341	Burdick & Jackson	Tetrahydrofuran Purified Plus™, ACS reagent, for organic synthesis, prep-LC, and general laboratory use, contains BHT (for sales in Asia only)	19 L, 204 L
179418	Riedel-de Haen	Toluene ACS reagent, ≥99.5%	500 mL, 1 L, 2.5 L, 5 L, 20 L
320552	Riedel-de Haen	Toluene ACS reagent, ≥99.5%	1 L
676756	Riedel-de Haen	Toluene ACS reagent, ≥99.5%	1 L, 4 L
AH347	Burdick & Jackson	Toluene ACS reagent, for HPLC, spectrophotometry, meets analytical specification of USP, >99.8%	4 L
LP347	Honeywell	Toluene ACS reagent, for organic synthesis, prep-LC, and general laboratory use, >99.8%	4 L, 19 L, 204 L
PP347	Burdick & Jackson	Toluene Purified Plus™, ACS reagent, for organic synthesis, for prep-LC, >99.8%	19 L, 204 L
89681	Riedel-de Haen	Toluene puriss. p.a., ACS reagent, ≥99.7% (GC)	25 mL, 50 mL, 1 L, 2.5 L, 10 L
32249	Riedel-de Haen	Toluene puriss. p.a., ACS reagent, reag. ISO, reag. Ph. Eur., ≥99.7% (GC)	1 L, 2.5 L, 5 L, 10 L, 25 L
251402	Riedel-de Haen	Trichloroethylene ACS reagent, ≥99.5%	1 L, 2.5 L
360597	Riedel-de Haen	2,2,4-Trimethylpentane ACS reagent, ≥99.0%	500 mL, 1 L, 2.5 L, 20 L
LP362	Honeywell	2,2,4-Trimethylpentane ACS reagent, for organic synthesis, prep-LC, and general laboratory use, >99.0%	4 L, 19 L
PP362	Burdick & Jackson	2,2,4-Trimethylpentane Purified Plus™, ACS reagent, for organic synthesis, for prep-LC, >99.0%	19 L, 204 L
59045	Riedel-de Haen	2,2,4-Trimethylpentane puriss. p.a., ACS reagent, ≥99.5% (GC)	1 L, 2.5 L
320072	Riedel-de Haen	Water ACS reagent	500 mL, 2 L, 2.5 L, 4 L
LP366	Honeywell	Water ACS reagent, meets ASTM type II specifications	4 L, 5 gal
247642	Riedel-de Haen	Xylenes ACS reagent, ≥98.5% xylenes + ethylbenzene basis	500 mL, 1 L, 2.5 L, 20 L

Product availability and packaging may vary from country to country.

All statements and information provided herein are believed to be accurate and reliable, but are presented without guarantee, warranty or responsibility of any kind, express or implied. Statements or suggestions concerning possible use of our products are made without representation or warranty that any such use is free of patent infringement, and are not recommendations to infringe any patent. The user should not assume that all safety measures are indicated herein, or that other measures may not be required. User assumes all liability for use of the information and results obtained.



For more information

visit lab-honeywell.com

Honeywell Specialty Chemicals Seelze GmbH

Wunstorfer Strasse 40
D-30926 Seelze
Germany

Burdick & Jackson and BioSyn are trademarks of Honeywell International Inc.
Riedel-de Haen, Purified Plus and Chromasolv are trademarks of Honeywell Specialty Chemicals Seelze GmbH.

2259 AM A4 EN v1 | Jan 2018
©2018 Honeywell International Inc.

